

Kavelmodel gemeente Halderberge (2024)

Waardegebied	Typeaanduiding	0	100	125	175	200	250	350	400	500	600	700	750	800	1000	1050	1200	1250	1400	1500	1600	1750	2000	2250	2500	3000	4500	7500	
HB010	JA	166							31						23														
HB010	A	300					250			125					62,5					31,3			15,7		8,16			13,25	8,16
HB010	AW	300					250			125					62,5					31,3			15,7		8,16				
HB010	B	300			250			125				62,5				31,3			15,7			8,16							
HB010	BG	300				250			125					62,5			31,3				15,7		8,16						
HB010	C	300		250			125			62,5			31,3		15,7					8,16									
HB010	D	300		250			125			62,5			31,3		15,7					8,16		4,08							
HB010	G	150		125			62,5			31,3			15,7		8,16					4,08									
HB010	H	300	250			125			62,5		31,3			15,7	8,16														
HB010	J	225					187,5			93,75					46,88							23,44		11,72		7,34			
HB010	K	300					250			125					62,5						31,3		15,7		8,16				
HB010	X	300					250			125					62,5						31,3		15,7		8,16				
HB010	Y	300					250			125					62,5						31,3		15,7		8,16				
HB010	Z	0																											
HB011	A	290					240			120					60						30		15		8,16				
HB011	AW	290					240			120					60						30		15		8,16				
HB011	B	290			240			120				60				30			15			8,16							
HB011	BG	290				240			120					60			30					15		8,16					
HB011	C	290		240			120			60			30		15					8,16									
HB011	D	290		240			120			60			30		15					8,16									
HB011	G	145		120			60			30			15		8,16					4,08									
HB011	H	290	250			125			62,5		31,3			15,7	8,16														
HB011	J	217,5					180			90					45						22,5		11,25		7,34				
HB011	K	290					240			120					60						30		15		8,16				
HB011	X	290					240			120					60						30		15		8,16				
HB011	Y	290					240			120					60						30		15		8,16				
HB011	Z	0																											
HB012	A	275					230			115					57,5						28,8		14,4		8,16				
HB012	AW	275					230			115					57,5						28,8		14,4		8,16				
HB012	B	275			230			115				57,5				28,8					14,4		8,16						
HB012	BG	275				230			115					57,5			28,8					14,4		8,16					
HB012	C	275		230			115			57,5			28,8		14,4					8,16									
HB012	D	275		230			115			57,5			28,8		14,4					8,16									
HB012	G	137,5		115			57,5			28,8			14,4		7,2					3,6									
HB012	H	275	230			115			57,5		28,8			14,4	8,16														
HB012	J	206,25					172,5			86,25					43,13						21,6		10,8		7,34				
HB012	K	275					230			115					57,5						28,8		14,4		8,16				
HB012	X	275					230			115					57,5						28,8		14,4		8,16				
HB012	Y	275					230			115					57,5						28,8		14,4		8,16				
HB012	Z	0																											
HB018	A	240					200			100					50						25		12,5		8,16				
HB018	AW	240					200			100					50						25		12,5		8,16				
HB018	B	240			200			100				50				25					12,5		8,16						
HB018	BG	240				200			100					50			25					12,5		8,16					
HB018	C	240		200			100			50			25		12,5					8,16									
HB018	D	240		200			100			50			25		12,5					8,16									
HB018	G	120		100			50			25			12,5		6,3					3,15									
HB018	H	240	200			100			50		25			12,5	8,16														
HB018	J	216					180			90					45						22,5		11,3		7,34				
HB018	K	240					200			100					50						25		12,5		8,16				
HB018	X	240					200			100					50						25		12,5		8,16				
HB018	Y	240					200			100					50						25		12,5		8,16				
HB018	Z	0																											
HB019	A	265					220			110					55						27,5		13,8		8,16				
HB019	AW	265					220			110					55						27,5		13,8		8,16				
HB019	B	265			220			110				55				27,5					13,8		8,16						
HB019	BG	265				220			110					55			27,5					13,8		8,16					
HB019	C	265		220			110			55			27,5		13,8					8,16									
HB019	D	265		220			110			55			27,5		13,8					8,16									
HB019	G	132,5		110			55			27,5			13,8		6,9					3,45									
HB019	H	265	220			110			55		27,5			13,8	8,16														
HB019	J	238,5					198			99					49,5						24,75		12,42		7,34				
HB019	K	265					220			110					55						27,5		13,8		8,16				
HB019	X	265					220			110					55						27,5		13,8		8,16				
HB019	Y	265					220			110					55						27,5		13,8		8,16				
HB019	Z	0																											
HB020	A	270					225			112,5					56,3						28,2		14,1		8,16				
HB020	AW	270					225			112,5					56,3						28,2		14,1		8,16				
HB020	B	270			225			112,5				56,3				28,2						14,1		8,16					
HB020	BG	270				225			112,5					56,3			28,2					14,1		8,16					
HB020	C	270		225			112,5			56,3			28,2		14,1					8,16									
HB020	D	270		225			112,5			56,3			28,2		14,1					8,16									
HB020	G	135		112,5			56,3			28,2			14,1		7,1					3,55									
HB020	H	270	225			112,5			56,3		28,2			14,1	8,16														
HB020	J	202,5					168,75			84,38					42,19						21,09		10,55		7,34				



